INDEX TO AUTHORS

ACKERMANN, W. W. The relation of the Krebs cycle to viral synthesis. II. The effect of sodium fluoroacetate on the propagation of influenza virus in mice, 635

—. The role of *l*-methionine in virus propagation, 337

AINSLIE, JOHN D. See BROWN and AINSLIE, 197

ALEXANDER, HATTIE E., and LEIDY, GRACE. Determination of inherited traits of *H. influenzae* by desoxyribonucleic acid fractions isolated from type-specific cells, 345

ANDERSON, H. C., and MCCARTY, MACLYN. The occurrence in the rabbit of an acute phase protein analogous to human C-reactive protein, 25

AUB, JOSEPH C. See GLINOS, BUCHER, and AUB, 313

BAKER, JAMES A. See YORK and BAKER, 587

BANG, FREDERIK B. See KARZON and BANG, 267, 285

BERNHEIMER, ALAN W., and RUFFIER, NORMA K. Elaboration of desoxyribonuclease by streptococci in the resting state and inhibition of the enzyme by a substance extractable from the cocci, 399

BEZER, ADA E. See KABAT, WOLF, BEZER, and MURRAY, 615

BJØRNEBOE, MOGENS, FISCHEL, EDWARD E., and STOERK, HERBERT C. The effect of cortisone and adrenocorticotropic hormone on the concentration of circulating antibody, 37

BOYDEN, STEPHEN V. The adsorption of proteins on erythrocytes treated with tannic acid and subsequent hemagglutination by antiprotein sera, 107

BROWN, GORDON C., and AINSLIE, JOHN D. Relationship between serum antibodies and subclinical infections with poliomyelitis virus, 197

BUCHER, NANCY L. R. See GLINOS, BUCHER, and AUB, 313

CLINE, JEWELL. See PUCK, GAREN, and CLINE, 65

CONNOLLY, JEANNE M. See COONS, LEDUC, and KAPLAN, 173

COONS, ALBERT H., LEDUC, ELIZABETH H., and KAPLAN, MELVIN H. Localization of antigen in tissue cells. VI. The fate of injected foreign proteins in the mouse, 173

CORRELL, JAMES W. See KELLNER, CORRELL, and LADD, 373, 385

DAMGAARD, EVELYN. See UNGAR and DAMGAARD, 89

DAVENPORT, FRED M., and FRANCIS, THOMAS, JR. A comparison of the growth curves of adapted and unadapted lines of influenza virus, 129

DUBOS, RENÉ J. See SUTER and DUBOS, 559

DZIEWIATKOWSKI, DOMINIC D. Radioautographic visualization of sulfur-35 disposition in the articular cartilage and bone of suckling rats following injection of labeled sodium sulfate, 451

EDDS, MAC V., JR., and SMALL, WILFRED T. The behavior of residual axons in partially denervated muscles of the monkey, 207

FAVOUR, CUTTING B. See MILLER and FAVOUR, 1

FEINBERG, RICHARD J. See WRIGHT, HEDBERG, and FEINBERG, 523

FISCHEL, EDWARD E. See BJØRNEBOE, FISCHEL, and STOERK, 37
FRANCIS, THOMAS, JR. See DAVENPORT and FRANCIS, 129
FRIEDMAN, CONSTANCE L. See FRIEDMAN, FRIEDMAN, and NAKASHIMA, 361
FRIEDMAN, SYDNEY M., FRIEDMAN, CONSTANCE L., and NAKASHIMA, MIYOSHI. Sustained hypertension following the administration of desoxycorticosterone acetate, 361

GAREN, ALAN. See PUCK, GAREN, and CLINE, 65
GINSBERG, HAROLD S., and HORSFALL, FRANK L., JR. Characteristics of the multiplication cycle of pneumonia virus of mice (PVM), 151
— and —. Therapy of infection with pneumonia virus of mice (PVM). Effect of a polysaccharide on the multiplication cycles of the virus and on the course of the viral pneumonia, 161
—. See HORSFALL and GINSBERG, 139
GLINOS, ANDRÉ D., BUCHER, NANCY L. R., and AUB, JOSEPH C. The effect of liver regeneration on tumor formation in rats fed 4-dimethylaminoazobenzene, 313
GODMAN, GABRIEL C. See MELNICK and GODMAN, 247
GOLDBLATT, HARRY. See GYÖRGY, STOKES, GOLDBLATT, and POPPER, 513
GOOD, ROBERT A. See STETSON and GOOD, 49
GYÖRGY, PAUL, STOKES, JOSEPH, JR., GOLDBLATT, HARRY, and POPPER, HANS. Antimicrobial agents in the prevention of dietary hepatic injury (necrosis, cirrhosis) in rats, 513

HARRISON, BARBARA A. See MILLER and FAVOUR, 1
HARTMAN, FRANK W. See SOMMERS, WILSON, and HARTMAN, 505
HEDBERG, MARY A. See WRIGHT, HEDBERG, and FEINBERG, 523
HORSFALL, FRANK L., JR. Studies on non-hemolytic streptococci isolated from the respiratory tract of man. The antigenic basis for type-specific reactions with *Streptococcus salivarius* and non-levan-forming streptococci, 229
— and GINSBERG, HAROLD S. The dependence of the pathological lesion upon the multiplication of pneumonia virus of mice (PVM). Kinetic relation between the degree of viral multiplication and the extent of pneumonia, 139
—. See GINSBERG and HORSFALL, 151, 161

KABAT, ELVIN A., WOLF, ABNER, BEZER, ADA E., and MURRAY, JEAN P. Studies on acute disseminated encephalomyelitis produced experimentally in *rhesus* monkeys. VI. Changes in the cerebrospinal fluid proteins, 615
KALTER, SEYMOUR S., SMOLIN, HAROLD J., MCELHANEY, JANE M., and TEPPERMAN, JAY. Endocrines and their relation to influenza virus infection, 529
KAPLAN, MELVIN H. See COONS, LEDUC, and KAPLAN, 173
KARZON, DAVID T., and BANG, FREDERIK B. The pathogenesis of infection with a virulent (CG 179) and an avirulent (B) strain of Newcastle disease virus in the chicken. I. Comparative rates of viral multiplication, 267
— and —. II. Development of antibody, 285
KELLNER, AARON, CORRELL, JAMES W., and LADD, ANTHONY T. The influence of intravenously administered surface-active agents on the development of experimental atherosclerosis in rabbits, 385

KELLNER, AARON, CORRELL, JAMES W., and LADD, ANTHONY T. Sustained hyperlipemia induced in rabbits by means of intravenously injected surface-active agents, 373
KERBY, GRACE P., and MARTIN, SAMUEL P. The splanchnic removal of bacteria from the blood stream of leucopenic rabbits, 189
KLEINSCHMIDT, ELAINE. See ACKERMANN, 337, 635
KORSON, ROY. A microspectrophotometric study of red cell nuclei during pycnosis, 121
KURTZ, HILDA. See ACKERMANN, 635

LADD, ANTHONY T. See KELLNER, CORRELL, and LADD, 373, 385
LAMSON, B. G. See YUILE, LAMSON, MILLER, and WHIPPLE, 539
LEDUC, ELIZABETH H. See COONS, LEDUC, and KAPLAN, 173
LEIDY, GRACE. See ALEXANDER and LEIDY, 345
LIPPMAN, RICHARD W., UREEN, HELEN J., and OLIVER, JEAN. Mechanism of proteinuria. III. A comparison of the functional and structural aspects of the effects of certain intraperitoneally administered proteins on hemoglobin excretion in the rat, 325
—, —, and —. IV. Effect of renin on hemoglobin excretion, 605

MARTIN, SAMUEL P. See KERBY and MARTIN, 189
MCCARTY, MACLYN. See ANDERSON and MCCARTY, 25
MCELHANEY, JANE M. See KALTER, SMOLIN, MCELHANEY, and TEPPERMAN, 529
MELNICK, JOSEPH L., and GODMAN, GABRIEL C. Pathogenesis of Coxsackie virus infection. Multiplication of virus and evolution of the muscle lesion in mice, 247
MILLER, JOSEPH M., and FAVOUR, CUTTING B. The lymphocytic origin of a plasma factor responsible for hypersensitivity *in vitro* of tuberculin type, 1
MILLER, L. L. See YUILE, LAMSON, MILLER, and WHIPPLE, 539
MURRAY, JEAN P. See KABAT, WOLF, BEZER, and MURRAY, 615

NAKASHIMA, MIYOSHI. See FRIEDMAN, FRIEDMAN, and NAKASHIMA, 361

OLIVER, JEAN. See LIPPMAN, UREEN, and OLIVER, 325, 605

PIRANI, CONRAD L., STEPTO, ROBERT C., and SUTHERLAND, KENNETH. Desoxycorticosterone acetate and wound healing, 217
POPPER, HANS. See GYÖRGY, STOKES, GOLDBLATT, and POPPER, 513
PUCK, THEODORE T., GAREN, ALAN, and CLINE, JEWELL. The mechanism of virus attachment to host cells. I. The role of ions in the primary reaction, 65

RATHER, L. J. The nature and significance of changes in adrenal cytology, weight, and cortical/medullary ratio in experimental renal hypertension and clinical hypertension, 573
ROGERS, STANFIELD. Age of the host and other factors affecting the production with urethane of pulmonary adenomas in mice, 427
— and ROUS, PEYTON. Joint action of a chemical carcinogen and a neoplastic virus to induce cancer in rabbits. Results of exposing epidermal cells to a carcinogenic hydrocarbon at time of infection with the Shope papilloma virus, 459
ROUS, PEYTON. See ROGERS and ROUS, 459
RUFFIER, NORMA K. See BERNHEIMER and RUFFIER, 399

SIFFERT, ROBERT S. The role of alkaline phosphatase in osteogenesis, 415
SINGER, E. A. See WOOLLEY, 13
SLEIN, JANET B. See WRIGHT and SLEIN, 99
SMALL, WILFRED T. See EDDS and SMALL, 207
SMITH, N. See WOOLLEY, 13
SMOLIN, HAROLD J. See KALTER, SMOLIN, MCELHANEY, and TEPPERMAN, 529
SOMMERS, SHELDON C., WILSON, JOAN C., and HARTMAN, FRANK W. Lymphoid lesions in poliomyelitis, 505
STEPTO, ROBERT C. See PIRANI, STEPTO, and SUTHERLAND, 217
STETSON, CHANDLER A., JR. Studies on the mechanism of the Shwartzman phenomenon. Certain factors involved in the production of the local hemorrhagic necrosis, 489
— and GOOD, ROBERT A. Studies on the mechanism of the Shwartzman phenomenon. Evidence for the participation of polymorphonuclear leucocytes in the phenomenon, 49
STOERK, HERBERT C. See BJØRNEBOE, FISCHEL, and STOERK, 37
STOKES, JOSEPH, JR. See GYÖRGY, STOKES, GOLDBLATT, and POPPER, 513
SUTER, W. EMANUEL, and DUBOS, RENÉ J. Variability of BCG strains (bacillus Calmette-Guérin), 559
SUTHERLAND, KENNETH. See PIRANI, STEPTO, and SUTHERLAND, 217

TEPPERMAN, JAY. See KALTER, SMOLIN, MCELHANEY, and TEPPERMAN, 529

UMBARGER, MERLE A. See MILLER and FAVOUR, 1
UNGAR, GEORGES, and DAMGAARD, EVELYN. Studies on the fibrinolysin-antifibrinolysin system in serum. I. Action of the anterior pituitary, adrenal cortex, and spleen, 89
UREEN, HELEN J. See LIPPMAN, UREEN, and OLIVER, 325, 605

VOGEL, F. STEPHEN. Demyelinization induced in living rabbits by means of a lipolytic enzyme preparation, 297
—. A lipolytic enzyme in reactive histiocytes of guinea pigs with experimental encephalomyelitis, 305

WHIPPLE, G. H. See YUILE, LAMSON, MILLER, and WHIPPLE, 539
WILSON, JOAN C. See SOMMERS, WILSON, and HARTMAN, 505
WOLF, ABNER. See KABAT, WOLF, BEZER, and MURRAY, 615
WOOLLEY, D. W. Selective toxicity of 1,2-dichloro-4,5-diaminobenzene: its relation to requirements for riboflavin and vitamin B_{12}, 13
WRIGHT, GEORGE G., HEDBERG, MARY A., and FEINBERG, RICHARD J. Studies on immunity in anthrax. II. *In vitro* elaboration of protective antigen by non-proteolytic mutants of *Bacillus anthracis*, 523
— and SLEIN, JANET B. Studies on immunity in anthrax. I. Variation in the serum T-agglutinin during anthrax infection in the rabbit, 99

YORK, CHARLES J., and BAKER, JAMES A. A new member of the psittacosis-lymphogranuloma group of viruses that causes infection in calves, 587
YUILE, C. L., LAMSON, B. G., MILLER, L. L., and WHIPPLE, G. H. Conversion of plasma protein to tissue protein without evidence of protein breakdown. Results of giving plasma protein labeled with carbon-14 parenterally to dogs, 539

INDEX TO SUBJECTS

ACETATE, desoxycorticosterone, sustained hypertension following administration of, 361
—, desoxycorticosterone, and wound healing, 217
Acid, desoxyribonucleic, fractions isolated from type-specific cells, inherited traits of *H. influenzae* determined by, 345
—, tannic, adsorption of proteins on erythrocytes treated with, and subsequent hemagglutination by antiprotein sera, 107
ACTH. *See* Adrenocorticotropic hormone.
Adenomas, pulmonary, produced with urethane, age of host affecting, 427
Adrenal cortex, anterior pituitary, and spleen, action in fibrinolysin-antifibrinolysin system in serum, 89
— cytology, weight, and cortical/medullary ratio in experimental renal hypertension and clinical hypertension, 573
Adrenocorticotropic hormone and cortisone, effect on concentration of circulating antibody, 37
Adsorption of proteins on erythrocytes treated with tannic acid and subsequent hemagglutination by antiprotein sera, 107
Age of host affecting production with urethane of pulmonary adenomas, 427
Agglutinin, T-, serum, variation during anthrax infection, 99
Alkaline phosphatase in osteogenesis, 415
Aminoazobenzene, 4-dimethyl-, effect of liver regeneration on tumor formation in rats fed, 313
Anthrax, immunity in, and variation in serum T-agglutinin, 99
—, immunity, and *in vitro* elaboration of protective antigen by non-proteolytic mutants of *Bacillus anthracis*, 523
Antibodies, serum, and subclinical infections with poliomyelitis virus, 197
Antibody, circulating, concentration, effect of cortisone and adrenocorticotropic hormone on, 37
—, development in Newcastle disease virus, virulent and avirulent strains, 285
Antigen in tissue cells, localization and fate of injected foreign proteins, 173
—, protective, *in vitro* elaboration by non-proteolytic mutants of *Bacillus anthracis*, 523
Antigenic basis for type-specific reactions with *Streptococcus salivarius* and non-levan-forming streptococci from respiratory tract of man, 229
Antimicrobial agents in prevention of dietary necrosis and cirrhosis, 513
Antiprotein sera, subsequent hemagglutination by, adsorption of proteins on erythrocytes treated with tannic acid, 107
Atherosclerosis, influence of intravenously administered surface-active agents on development of, 385
Axons, residual, in partially denervated muscles, behavior, 207
Azobenzene, 4-dimethylamino-, effect of liver regeneration on tumor formation in rats fed, 313

BACILLUS *anthracis*, *in vitro* elaboration of protective antigen by non-proteolytic mutants of, 523
— Calmette-Guérin, variability of strains, 559
Bacteria from blood stream of leucopenic rabbits, splanchnic removal of, 189
Benzene, 1,2-dichloro-4,5-diamino-, selective toxicity, relation to requirements for riboflavin and vitamin B_{12}, 13
—, 4-dimethylaminoazo-, effect of liver regeneration on tumor formation in rats fed, 313
Blood cell, red. *See* Erythrocytes.
— stream of leucopenic rabbits, splanchnic removal of bacteria from, 189
Bone and cartilage, articular, of suckling rats, following injection of labeled sodium sulfate, radioautographic visualization of sulfur-35 disposition in, 451

CALMETTE-Guérin bacillus. *See* Bacillus.
Cancer, chemical carcinogen and neoplastic virus, joint action to induce, 459
Carbon, radioactive, protein labeled with, given parenterally, and resulting conversion of plasma protein to tissue protein without evidence of protein breakdown, 539
Carcinogen, chemical, and neoplastic virus, joint action to induce cancer, 459
Cartilage and bone, articular, of suckling rats following injection of labeled sodium sulfate, radioautographic visualization of sulfur-35 disposition in, 451
Cattle infection, new member of psittacosis-lymphogranuloma group of viruses, 587
Cell, blood, red. *See* Erythrocytes.
Cells, epidermal, exposed to a carcinogenic hydrocarbon at time of infection with Shope papilloma virus, 459
—, host, virus attachment to, and role of ions in primary reaction, 65
—, tissue, localization of antigen in, and fate of injected foreign proteins in mouse, 173
—, type-specific, determination of inherited traits of *H. influenzae* by desoxyribonucleic acid fractions isolated from, 345
Cerebrospinal fluid proteins in acute disseminated encephalomyelitis produced in *rhesus* monkeys, changes in, 615
Chemical carcinogen and neoplastic virus, joint action to induce cancer, 459
Circulating antibody, concentration, effect of cortisone and adrenocorticotropic hormone on, 37
Cirrhosis and necrosis, dietary, antimicrobial agents in prevention of, 513
Clinical hypertension and experimental renal hypertension, changes in adrenal cytology, weight, and cortical/medullary ratio, 573
Cocci, substance extractable from, inhibition of enzyme by, and elaboration of desoxyribonuclease by streptococci in resting state, 399
Corpuscles, blood, red. *See* Erythrocytes.
Cortical/medullary ratio, adrenal cytology, and weight, changes in experimental renal hypertension and clinical hypertension, 573
Corticosterone, desoxy-, acetate, sustained hypertension following administration of, 361
—, desoxy-, acetate, and wound healing, 217
Cortisone and adrenocorticotropic hormone, effect on concentration of circulating antibody, 37

Coxsackie virus infection, pathogenesis, multiplication of virus and evolution of muscle lesion, 247

Cytology, adrenal, weight, and cortical/medullary ratio, changes in experimental renal hypertension and clinical hypertension, 573

DENERVATED muscles, partially, behavior of residual axons in, 207

Desoxycorticosterone acetate, sustained hypertension following administration of, 361

— acetate and wound healing, 217

Desoxyribonuclease, elaboration by streptococci in resting state and inhibition of enzyme by substance extractable from cocci, 399

Desoxyribonucleic acid fractions isolated from type-specific cells, inherited traits of *H. influenzae* determined by, 345

Dichloro-4,5-diaminobenzene, 1,2-, selective toxicity of, relation to requirements for riboflavin and vitamin B_{12}, 13

Dietary necrosis and cirrhosis, antimicrobial agents in prevention of, 513

Dimethylaminoazobenzene, 4-, effect of liver regeneration on tumor formation in rats fed, 313

Disease, Newcastle, virus, virulent and avirulent strains, comparative rates of viral multiplication, 267

—, Newcastle, virus, virulent and avirulent strains, development of antibody, 285

ENCEPHALOMYELITIS, acute disseminated, produced in *rhesus* monkeys and changes in cerebrospinal fluid proteins, 615

—, lipolytic enzyme in reactive histiocytes in encephalomyelitis, 305

Endocrines, relation to influenza virus infection, 529

Enzyme, inhibition by substance extractable from cocci, and elaboration of desoxyribonuclease by streptococci in resting state, 399

—, lipolytic, in reactive histiocytes in encephalomyelitis, 305

— preparation, lipolytic, demyelinization in living rabbits induced by, 297

Epidermal cells exposed to carcinogenic hydrocarbon at time of infection with Shope papilloma virus, 459

Erythrocytes, nuclei during pycnosis, microspectrophotometric study of, 121

—, treated with tannic acid, adsorption of proteins on, and subsequent hemagglutination by antiprotein sera, 107

Excretion, hemoglobin, effect in proteinuria of renin on, 605

—, hemoglobin, effects of intraperitoneally administered proteins on, comparison of functional and structural aspects of, 325

Extractable substance from cocci, inhibition of enzyme by, and elaboration of desoxyribonuclease by streptococci in resting state, 399

FIBRINOLYSIN-ANTIFIBRINOLYSIN system in serum, with action of anterior pituitary, adrenal cortex, and spleen, 89

Fluid proteins, cerebrospinal, in acute disseminated encephalomyelitis produced in *rhesus* monkeys, changes in, 615

HAEMOPHILUS *influenzae*, determination of inherited traits by desoxyribonucleic acid fractions isolated from type-specific cells, 345

Healing, wound, and desoxycorticosterone acetate, 217

Hemagglutination by antiprotein sera subsequent to adsorption of proteins on erythrocytes treated with tannic acid, 107
Hemoglobin excretion, effect of renin in proteinuria, 605
— excretion, effects of intraperitoneally administered proteins on, comparison of functional and structural aspects of, 325
Hemolytic streptococci, non-, isolated from respiratory tract, antigenic basis for type-specific reactions with *Streptococcus salivarius* and non-levan-forming streptococci, 229
Hemophilus influenzae. See Haemophilus influenzae.
Hemorrhagic necrosis, local, factors involved in production in Shwartzman phenomenon, 489
Hereditary traits of *H. influenzae* by desoxyribonucleic acid fractions isolated from type-specific cells, 345
Histiocytes, reactive, in encephalomyelitis, lipolytic enzyme in, 305
Hormone, adrenocorticotropic, and cortisone, effect on concentration of circulating antibody, 37
Host cells, virus attachment to, and role of ions in primary reaction, 65
Hydrocarbon, carcinogenic, exposure of epidermal cells at time of infection with Shope papilloma virus, 459
Hyperlipemia, sustained, induced by intravenously injected surface-active agents, 373
Hypersensitivity *in vitro* of tuberculin type, lymphocytic origin of plasma factor responsible for, 1
Hypertension, renal, experimental, and clinical hypertension, changes in adrenal cytology, weight, and cortical/medullary ratio in,
—, sustained, following administration of desoxycorticosterone acetate, 361

IMMUNITY in anthrax, 523
— in anthrax and variation in serum T-agglutinin, 99
Influenza virus, effect of sodium fluoroacetate on propagation of, and relation of Krebs cycle to viral synthesis, 635
— virus, growth curves of adapted and unadapted lines of, 129
— virus infection, endocrine relation to, 529
Injected foreign proteins, fate of, in localization of antigen in tissue cells, 173
Injection of labeled sodium sulfate, radioautographic visualization of sulfur-35 disposition in articular cartilage and bone of suckling rats following, 451
— of proteins intraperitoneally, effects on hemoglobin excretion, comparison of functional and structural aspects, 325
— of surface-active agents intravenously, development of atherosclerosis, 385
— of surface-active agents intravenously, sustained hyperlipemia induced by, 373
Ions in primary reaction of virus attachment to host cells, 65

KIDNEY hypertension, experimental, and clinical hypertension, changes in adrenal cytology, weight, and cortical/medullary ratio, 573
Kinetic relation between degree of viral multiplication and extent of pneumonia virus of mice, 139
Krebs cycle, relation to viral synthesis and effect of sodium fluoroacetate on propagation of influenza virus, 635

LESION, muscle, evolution of, and multiplication of virus in patho-

genesis of Coxsackie virus infection, 247
Lesion, pathological, dependence upon multiplication of pneumonia virus of mice, 139
Lesions, lymphoid, in poliomyelitis, 505
Leucocytes, polymorphonuclear, participation in Shwartzman phenomenon, 49
Leucopenic rabbits, splanchnic removal of bacteria from blood stream, 189
Lipemia, hyper-, sustained, induced by intravenously injected surface-active agents, 373
Lipolytic enzyme in reactive histiocytes in encephalomyelitis, 305
— enzyme preparation, demyelinization in living rabbits induced by, 297
Liver injury, necrosis, cirrhosis, dietary, antimicrobial agents in prevention, 513
— regeneration, effect on tumor formation in rats fed 4-dimethylaminoazobenzene, 313
Lymphocytic origin of plasma factor responsible for hypersensitivity *in vitro* of tuberculin type, 1
Lymphogranuloma-psittacosis group of viruses, new member causing infection in calves, 587
Lymphoid lesions in poliomyelitis, 505

MAN, occurrence in rabbit of acute phase protein analogous to C-reactive protein in, 25
—, respiratory tract of, non-hemolytic streptococci isolated from, antigenic basis for type-specific reactions with *Streptococcus salivarius* and non-levan-forming streptococci, 229
Medullary/cortical ratio, adrenal cytology, and weight, changes in experimental renal hypertension and clinical hypertension, 573
l-Methionine in virus propagation, 337
Microspectrophotometric study of red cell nuclei during pycnosis, 121
Muscle lesion, evolution of, and multiplication of virus in pathogenesis of Coxsackie virus infection, 247
Muscles, partially denervated, behavior of residual axons in, 207
Mutants of *Bacillus anthracis*, nonproteolytic, *in vitro* elaboration of protective antigen by, 523
Myelin, loss induced in living rabbits by lipolytic enzyme preparation, 297

NECROSIS and cirrhosis, dietary, antimicrobial agents in prevention of, 513
—, hemorrhagic, local, factors involved in production in Shwartzman phenomenon, 489
Neoplastic virus and chemical carcinogen, joint action to induce cancer, 459
Newcastle disease virus, virulent and avirulent strains, comparative rates of viral multiplication, 267
— disease virus, virulent and avirulent strains, development of antibody, 285
Nuclease, desoxyribo-, elaboration by streptococci in resting state and inhibition of enzyme by substance extractable from cocci, 399
Nuclei, red cell, during pycnosis, microspectrophotometric study, 121
Nucleic acid, desoxyribo-, fractions isolated from type-specific cells, inherited traits of *H. influenzae* determined by, 345

OSTEOGENESIS, alkaline phosphatase in, 415

PAPILLOMA virus, Shope, exposure of epidermal cells to a carcino-

genic hydrocarbon at time of infection with, 459
Pathogenesis of Coxsackie virus infection, multiplication of virus and evolution of muscle lesion, 247
— of infection with virulent and avirulent strains of Newcastle disease virus, development of antibody, 285
— of infection with virulent and avirulent strains of Newcastle disease virus, rates of viral multiplication, 267
Pathological lesion, dependence upon multiplication of pneumonia virus of mice, 139
Phosphatase, alkaline, in osteogenesis, 415
Photometer, spectro-, for microscopic study of red cell nuclei during pycnosis, 121
Pituitary, anterior, adrenal cortex, and spleen, action in fibrinolysin-antifibrinolysin systems in serum, 89
Plasma factor responsible for hypersensitivity *in vitro* of tuberculin type, lymphocytic origin, 1
— protein labeled with radioactive carbon given parenterally, conversion to tissue protein without evidence of protein breakdown, 539
Pneumonia virus of mice, characteristics of multiplication cycle, 151
— virus of mice, kinetic relation between degree of viral multiplication and extent of, 139
— virus of mice, therapy of infection, effect of polysaccharide on multiplication cycles of virus and course of viral pneumonia, 161
Poliomyelitis, lymphoid lesions in, 505
— virus, serum antibodies and subclinical infections with, 197
Polymorphonuclear leucocytes, participation in Shwartzman phenomenon, 49
Polysaccharide, effect on multiplication cycles of virus and course of viral pneumonia of mice, 161
Protein, acute phase, in rabbit, analogous to human C-reactive protein, 25
—, plasma, labeled with radioactive carbon given parenterally, conversion to tissue protein without evidence of protein breakdown, 539
Proteins, adsorption on erythrocytes treated with tannic acid and subsequent hemagglutination by anti-protein sera, 107
—, cerebrospinal fluid, in acute disseminated encephalomyelitis produced in *rhesus* monkeys, changes in, 615
—, foreign, injected, fate in localization of antigen in tissue cells, 173
— intraperitoneally administered, effects on hemoglobin excretion, comparison of functional and structural aspects, 325
Proteinuria, effect of renin on hemoglobin excretion, 605
— and intraperitoneally administered proteins effects on hemoglobin excretion, comparison of functional and structural aspects, 325
Proteolytic, non-, mutants of *Bacillus anthracis*, *in vitro* elaboration of protective antigen by, 523
Psittacosis-lymphogranuloma group of viruses, new member causing infection in calves, 587
Pulmonary adenomas, produced with urethane, age of host affecting, 427
Pycnosis, microspectrophotometric study of red cell nuclei during, 121

RADIOACTIVE carbon labeling protein given parenterally, and conversion of plasma protein to tissue protein without evidence of protein breakdown, 539

Radioautographic visualization of sulfur-35 disposition in articular cartilage and bone of suckling rats following injection of labeled sodium sulfate, 451
Regeneration of liver, effect on tumor formation in rats fed 4-dimethylaminoazobenzene, 313
Renal. *See* Kidney.
Renin effect on hemoglobin excretion in proteinuria, 605
Respiratory tract, non-hemolytic streptococci isolated from, antigenic basis for type-specific reactions with *Streptococcus salivarius* and non-levan-forming streptococci, 229
Riboflavin and vitamin B_{12}, in selective toxicity of 1,2-dichloro-4,5-diaminobenzene and its relation to requirements for, 13
Ribonuclease, desoxy-, elaboration by streptococci in resting state and inhibition of enzyme by substance extractable from cocci, 399
Ribonucleic, desoxy-, acid fractions isolated from type-specific cells, inherited traits of *H. influenzae* determined by, 345

SERA, antiprotein, hemagglutination by, subsequent to adsorption of proteins on erythrocytes treated with tannic acid, 107
Serum antibodies and subclinical infections with poliomyelitis virus, 197
—, fibrinolysin-antifibrinolysin system in, with action of anterior pituitary, adrenal cortex, and spleen, 89
— T-agglutinin, variation during anthrax infection, 99
Shope papilloma virus, exposure of epidermal cells to a carcinogenic hydrocarbon at time of infection with, 459
Shwartzman phenomenon, factors involved in production of local hemorrhagic necrosis, 489
Shwartzman phenonomenon and participation of polymorphonuclear leucocytes, 49
Sodium fluoroacetate, effect on propagation of influenza virus and relation of Krebs cycle to viral synthesis, 635
— sulfate, labeled, radioautographic visualization of sulfur-35 disposition in articular cartilage and bone of suckling rats following injection of, 451
Specific, type-, cells, determination of inherited traits of *H. influenzae* by desoxyribonucleic acid fractions isolated from, 345
—, type-, reactions with *Streptococcus salivarius* and non-levan-forming streptococci in respiratory tract of man, 229
Spectrophotometric, micro-, study of red cell nuclei during pycnosis, 121
Splanchnic removal of bacteria from blood stream of leucopenic rabbits, 189
Spleen, anterior pituitary, and adrenal cortex, action of, in fibrinolysin-antifibrinolysin system in serum, 89
Sterone, desoxycortico-, acetate, sustained hypertension following administration of, 361
—, desoxycortico-, acetate, and wound healing, 217
Streptococci in resting state, elaboration of desoxyribonuclease by, and inhibition of enzyme by substance extractable from cocci, 399
Streptococcus salivarius and non-levan-forming streptococci from respiratory tract of man, antigenic basis for type-specific reactions with, 229
Subclinical infections with poliomyelitis virus, relationship between serum antibodies, 197
Sulfur-35 disposition in articular cartilage and bone of suckling rats following injection of labeled sodium

sulfate, radioautographic visualization of, 451
Suprarenal. *See* Adrenal.

TANNIC acid, adsorption of proteins on erythrocytes treated with, and subsequent hemagglutination by antiprotein sera, 107
Therapy of infection with pneumonia virus of mice, effect of polysaccharide on multiplication cycles of virus and course of viral pneumonia, 161
Tissue cells, localization of antigen and fate of injected foreign proteins, 173
— protein, converted from plasma protein, without evidence of protein breakdown in protein labeled with radioactive carbon given parenterally, 539
Toxicity, selective, 1,2-dichloro-4,5-diaminobenzene, relation to requirements for riboflavin and vitamin B_{12}, 13
Tuberculin type, hypersensitivity *in vitro*, lymphocytic origin of plasma factor responsible for, 1
Tumor formation in rats fed 4-dimethylaminoazobenzene, effect of liver regeneration on, 313

URETHANE in production of pulmonary adenomas, age of host affecting, 427

VIRAL synthesis, relation of Krebs cycle to, and effect of sodium fluoroacetate on propagation of influenza virus, 635
Virulent and avirulent strains of Newcastle disease virus, development of antibody, 285
— and avirulent strains of Newcastle disease virus, rates of viral multiplication, 267
Virus attachment to host cells, and role of ions in primary reaction, 65
Virus infection, Coxsackie, pathogenesis, multiplication of virus and evolution of muscle lesion, 247
Virus influenza, effect of sodium fluoroacetate on propagation of, and relation of Krebs cycle to viral synthesis, 635
—, influenza, growth curves of adapted and unadapted lines of, 129
—, influenza, infection, endocrine relation to, 529
—, neoplastic, and chemical carcinogen, joint action to induce cancer, 459
—, Newcastle disease, virulent and avirulent strains, comparative rates of viral multiplication, 267
—, Newcastle disease, virulent and avirulent strains, development of antibody, 285
—, pneumonia, of mice, characteristics of multiplication cycle, 151
—, pneumonia, of mice, kinetic relation between degree of viral multiplication and extent of, 139
—, pneumonia, of mice, therapy of infection, effect of polysaccharide on multiplication cycles of virus and course of viral pneumonia, 161
—, poliomyelitis, serum antibodies and subclinical infections with, 197
— propagation, *l*-methionine, role of, 337
Viruses, psittacosis-lymphogranuloma group, new member causing infection in calves, 587
Vision, radioautographic, of sulfur-35 disposition in articular cartilage and bone of suckling rats following injection of labeled sodium sulfate, 451
Vitamin B_{12} and riboflavin, selective toxicity of 1,2-dichloro-4,5-diaminobenzene and its relation to requirements for, 13

WEIGHT, adrenal cytology, and cortical/medullary ratio, changes in experimental renal hypertension and clinical hypertension, 573
Wound healing and desoxycorticosterone acetate, 217